

Table 16B
2002 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 11/7/2003

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th % ≥95th
White, Not Hispanic								
0 - 11 Months	1,320	5.2	1,320	13.0	1,320	7.3	0	0.0 0.0
12 - 23 Months	597	4.9	597	7.5	597	21.6	0	0.0 0.0
24 - 59 Months	1,075	3.5	1,075	4.1	1,075	14.7	1,075	15.3 14.7
Total	2,992	4.5	2,992	8.7	2,992	12.8	1,075	15.3 14.7
Black, Not Hispanic								
0 - 11 Months	146	6.2	146	13.0	146	8.2	0	0.0 0.0
12 - 23 Months	90	*	90	*	90	*	0	* *
24 - 59 Months	199	4.0	199	7.0	199	17.6	199	13.1 17.6
Total	435	6.4	435	10.3	435	13.8	199	13.1 17.6
Hispanic								
0 - 11 Months	4,044	3.5	4,044	11.4	4,044	9.1	0	0.0 0.0
12 - 23 Months	1,955	4.7	1,955	5.0	1,955	19.8	0	0.0 0.0
24 - 59 Months	3,692	2.9	3,692	5.4	3,692	16.5	3,692	17.0 16.5
Total	9,691	3.5	9,691	7.8	9,691	14.1	3,692	17.0 16.5
American Indian/Alaskan Native								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	10	*	10	*	10	*	10	* *
Total	19	*	19	*	19	*	10	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2002 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 11/7/2003

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander								
0 - 11 Months	112	7.1	112	11.6	112	7.1	0	0.0 0.0
12 - 23 Months	63	*	63	*	63	*	0	* *
24 - 59 Months	130	6.9	130	8.5	130	13.8	130	18.5 13.8
Total	305	6.2	305	9.5	305	11.5	130	18.5 13.8
All Other/Unknown								
0 - 11 Months	524	4.0	524	12.0	524	10.3	0	0.0 0.0
12 - 23 Months	214	4.7	214	7.5	214	17.8	0	0.0 0.0
24 - 59 Months	370	3.5	370	5.9	370	16.5	370	15.9 16.5
Total	1,108	4.0	1,108	9.1	1,108	13.8	370	15.9 16.5
Total All Race/Ethnic Groups								
0 - 11 Months	6,153	4.0	6,153	11.8	6,153	8.8	0	0.0 0.0
12 - 23 Months	2,921	4.9	2,921	6.0	2,921	19.8	0	0.0 0.0
24 - 59 Months	5,476	3.2	5,476	5.3	5,476	16.1	5,476	16.5 16.1
Total	14,550	3.9	14,550	8.2	14,550	13.8	5,476	16.5 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2002 Pediatric Nutrition Surveillance (1)
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

Page: 1
Run Date: 11/7/2003

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 11 Years	914	6.3	914	3.1	914	16.3
12 - 19 Years	427	8.0	427	2.1	427	20.6
Total	1,341	6.9	1,341	2.8	1,341	17.7
Black, Not Hispanic						
5 - 11 Years	186	3.8	186	3.2	186	20.4
12 - 19 Years	105	1.9	105	1.0	105	21.9
Total	291	3.1	291	2.4	291	21.0
Hispanic						
5 - 11 Years	2,713	4.7	2,713	3.6	2,713	18.2
12 - 19 Years	986	8.8	986	1.4	986	18.5
Total	3,699	5.8	3,699	3.0	3,699	18.3
American Indian/Alaskan Native						
5 - 11 Years	8	*	8	*	8	*
12 - 19 Years	5	*	5	*	5	*
Total	13	*	13	*	13	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2002 Pediatric Nutrition Surveillance (1)
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

Page: 2
Run Date: 11/7/2003

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander						
5 - 11 Years	225	12.9	225	3.1	225	10.7
12 - 19 Years	232	25.0	232	1.3	232	15.1
Total	457	19.0	457	2.2	457	12.9
All Other/Unknown						
5 - 11 Years	269	8.6	269	4.8	269	19.7
12 - 19 Years	144	9.7	144	2.1	144	20.8
Total	413	9.0	413	3.9	413	20.1
Total All Race/Ethnic Groups						
5 - 11 Years	4,315	5.7	4,315	3.5	4,315	17.6
12 - 19 Years	1,899	10.3	1,899	1.6	1,899	19.0
Total	6,214	7.1	6,214	2.9	6,214	18.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.